

Code: I30001

✿ 供应商: 2126, 2383, 2385, 2336

✿ Supplier: 2126, 2383, 2385, 2336

GB/T584-1999 船用法兰铸造钢截止阀

GB/T584-1999 Marine Cast Steel Flanged Stop Valve


公称通径 DN(mm)	公称压力 PN(MPa)	壁厚 Wall Thickness(mm)	升程 Lift(m)	重量Weight(kg)	
				A	B
65 ~ 150	1.0	6 ~ 9	18 ~ 57	14.9 ~ 51.3	12.9 ~ 41.9
125/150	1.6	8/9	44/57	45.4/58.9	38.9/51.7
20 ~ 150	2.5	6/9	7 ~ 57	4.6 ~ 68.5	4.4 ~ 60.3
65 ~ 100	4.0	8/9	17 ~ 25	35.2 ~ 53.3	32.9 ~ 44.7
20 ~ 50	6.4	7/8	7 ~ 13	7.7 ~ 22.3	6.5 ~ 20.5

GB/T585-1999 船用法兰铸造钢截止阀

GB/T585-1999 Marine Cast Steel Flanged Stop Valve

公称通径 DN(mm)	公称压力 PN(MPa)	壁厚 Wall Thickness(mm)	升程 Lift(m)	重量Weight(kg)	
				AS	BS
200 ~ 300	1.0	10 ~ 13	68 ~ 100	109.0 ~ 225.0	104.0 ~ 261.0
100 ~ 250	1.6	8 ~ 11.5	35 ~ 80	35.4 ~ 180.0	33.2 ~ 173.0
20 ~ 150	2.5	6 ~ 9	7 ~ 42	5.4 ~ 79.9	5.4 ~ 73.7
65 ~ 100	4.0	8/9	19 ~ 28	37.8 ~ 54.1	36.4 ~ 51.5
20 ~ 50	6.4	7/8	7 ~ 15	9.3 ~ 27.2	8.1 ~ 25.8

⚓ Notes: Certificate ABS, BV, CCS, LR.



Code: I30002

☼ 供应商: 2697

☼ Supplier: 2697


船用法兰铸钢截止阀 Marine Cast Steel Flanged Stop Valve  
Valve Type A、B

公称通径 DN(mm)	公称压力 PN(MPa)	壁厚(mm) Wall Thickness	升程Lift(m)	重量Weight(kg)	
				A	B
65-150 <sup>I</sup>	1.0	6-9	18-57	14.9-51.3	12.9-41.9
125-150 <sup>I</sup>	1.6	8-9	44-57	45.4-58.9	38.9-51.7
20-150 <sup>I</sup>	2.5	6-9	7-57	4.5-68.5	4.4-60.3
65-100 <sup>II</sup>	4.0	8-9	17-25	35.2-53.3	32.9-44.7
20-50 <sup>II</sup>	6.4	7-8	7-13	7.7-22.3	6.5-20.5

Valve Type AS、BS

公称通径 DN(mm)	公称压力 PN(MPa)	壁厚(mm) Wall Thickness	升程Lift (m)	重量Weight(kg)	
				A	B
200-300 <sup>I</sup>	1.0	10-13	68-100	109-225	140-216
100-250 <sup>I</sup>	1.6	8-11.5	35-80	35.4-180	33.2-173
20-150 <sup>I</sup>	2.5	6-9	7-42	5.4-79.9	5.4-73.7
65-100 <sup>II</sup>	4.0	8-9	19-28	37.8-54.1	36.4-51.5
20-50 <sup>II</sup>	6.4	7-8	7-15	9.3-27.2	8.1-25.8

↓ Notes: I, 适用介质: 淡水、滑油、燃油和  $t \leq 300^\circ\text{C}$  蒸汽;  
II, 适用介质: 淡水、滑油、燃油和  $t \leq 400^\circ\text{C}$  蒸汽



Code: I30021

☼ 供应商: 2127,2336,2454,2388


☼ Supplier: 2127,2336,2454,2388

GB595-83 船用外螺纹青铜截止阀

Marine Male Screw Thread Bronze Stop Valve

公称通径DN (mm)	15/20/25/32
公称压力PN (MPa)	4/10
升程 Lift (m)	10/12/14/16

↓ Notes: Certificate ABS, BV, CCS, DNV, GL, LR.



Code: I30022


☼ 供应商: 2109,2336,2454,2388

☼ Supplier: 2109,2336,2454,2388

GB596-83船用外螺纹青铜截止阀

Marine Male Screw Thread Bronze Stop Valve

公称通径DN (mm)	公称压力PN (MPa)	适用介质Application Medium
10 ~ 32	4.0	Sea Water、 Fresh Water ,Lubricant Oil, Fuel Oil,Steam of 400°C and Nuder



Code: I30023


☼ 供应商: 2137

☼ Supplier: 2137

GB595-83 船用外螺纹青铜截止阀 Stop Valve

公称通径DN (mm)	公称压力PN(MPa)	适用介质Application Meaium
6 ~ 32	4.0 ~ 10.0	Sea Water、 Fuel Oil、 Lubricant Oil、 Fresh Water、 Air、 Steam
10 ~ 32	4.0	Sea Water、 Fuel Oil、 Lubricant Oil、 Fresh Water、 Air、 Steam

↓ Notes: Certificate CCS, ZC, ZY.



Code: I30019

☼ 供应商: 2127,2336,2454,2388


☼ Supplier: 2127,2336,2454,2388

GB594-83 船用外螺纹锻钢截止阀

Marine Male Screw Thread Forging Steel Shut off Valve

公称通径DN (mm)	6/10
升程 Lift (m)	5/7
公称压力PN (MPa)	10

↓ Notes: Certificate ABS, BV, CCS, DNV, GL, LR.



Code: I30020

☼ 供应商: 2109,2349,2556

☼ Supplier: 2109,2349,2556

GB594-83船用外螺纹锻钢截止阀

Marine Male Screw Thread Forging Steel Stop Valve

公称通径DN(mm)	公称压力PN(MPa)	适用介质 Application Medium
15 ~ 32	4.0	Fresh Water ,Lubricant Oil,Fuel Oil, Steam of 400°Cand Under
6 ~ 32	10.0	