

钢丝绳典型结构载面图

TYPICAL CROSS SECTIONS OF WIRE ROPE&STRAND


1x7	1x19	3x7	4Vx39S+5FC	4Vx48S+5FC	6x3+IWS	6x7+FC
6x7+IWS	6x9W+FC	6x9W+IWR	6Vx18+7FC	6Vx18+IWR	6x19S+FC	6x19S+IWR
6x19W+FC	6x19W+IWR	6x19+FC	6x19+IWS	6Vx21+7FC	6x24+7FC	6x24S+7FC
6x24W+7FC	6x25Fi+FC	6x25Fi+IWR	6x26SW+FC	6x26SW+IWR	6x29Fi+FC	6x29Fi+IWR
6Vx30+FC	6Vx30+IWR	6x31SW+FC	6x31SW+IWR	6Vx33+FC	6Vx33+IWR	6x36SW+FC
6x36SW+IWR	6Vx36+FC	6Vx36+IWR	6x37S+FC	6x37S+IWR	6x37+FC	6x37+IWR

钢丝绳典型结构载面图


TYPICAL CROSS SECTIONS OF WIRE ROPE & STRAND

6V x 37S + IWR	6V x 37S + FC	6 x 41SW + FC	6 x 41SW + IWR	6V x 43 + FC	6V x 43 + IWR
6 x 49SWS + IWR	6 x 55SWS + FC	6 x 55SWS + IWR	8 x 19S + FC	8 x 19S + IWR	8 x 19W + FC
8 x 25Fi + FC	8 x 25Fi + IWR	8 x 26SW + FC	8 x 26SW + IWR	8 x 31SW + FC	8 x 31SW + IWR
8 x 36SW + IWR	8 x 41SW + FC	8 x 41SW + IWR	8 x 41SWS + FC	8 x 41SWS + IWR	8 x 55SWS + FC
17 x 7 + FC	17 x 7 + IWS	18 x 7 + FC	18 x 7 + IWS	18 x 19 + FC	18 x 19 + IWS
18 x 19 + FC	18 x 19 + IWS	18 x 19 + FC	18 x 19 + IWS	18 x 19 + FC	18 x 19 + IWS


6×7、6×9W圆股钢丝绳(光面和镀锌)




6×7+FC



6×7+IWS



6×9W+FC



6×9W+IWR


钢丝绳结构(Construction):6×7+FC 6×7+IWS 6×9W+FC 6×9W+IWR

Nominal Diameter 钢丝绳公称直径		Approox. Weight 钢丝绳近似重量			Nominal Tensile Strength of Rope 钢丝绳公称抗拉强度(MPa)									
					1470		1570		1670		1770		1870	
					Minimum Breaking Load of Rope 钢丝绳最小破断拉力									
d	Allowed Tolerance 允许偏差	NF 天然纤维 芯钢丝绳	SF 合成纤维 芯钢丝绳	IWR/IWS 钢芯 钢丝绳	FC 纤维芯 钢丝绳	IWR/IWS 钢芯 钢丝绳	FC 纤维芯 钢丝绳	IWR/IWS 钢芯 钢丝绳	FC 纤维芯 钢丝绳	IWR/IWS 钢芯 钢丝绳	FC 纤维芯 钢丝绳	IWR/IWS 钢芯 钢丝绳	FC 纤维芯 钢丝绳	IWR/IWS 钢芯 钢丝绳
mm	%	kg/100m			kN									
2	+8	1.40	1.38	1.55	1.95	2.11	2.08	2.25	2.21	2.39	2.35	2.54	2.48	2.68
3	0	3.16	3.10	3.48	4.39	4.74	4.69	5.07	4.98	5.39	5.28	5.71	5.58	6.04
4	+7	5.62	5.50	6.19	7.80	8.44	8.33	9.01	8.87	9.59	9.40	10.10	9.93	10.70
5	0	8.77	8.60	9.68	12.20	13.10	13.00	14.00	13.80	14.90	14.60	15.80	15.50	16.70
6	+6 0	12.6	12.40	13.90	17.50	18.90	18.70	20.20	19.90	21.50	21.10	22.80	22.30	24.10
7		17.20	16.90	19.00	23.90	25.80	25.50	27.60	27.10	29.30	28.70	31.10	30.40	32.80
8		22.50	22.00	24.80	31.20	33.70	33.30	36.00	35.40	38.30	37.60	40.60	39.70	42.90
9		28.40	27.90	31.30	39.50	42.70	42.20	45.60	44.90	48.50	47.50	51.40	50.20	54.30
10		35.10	34.40	38.70	48.80	52.70	52.10	56.30	55.40	59.90	58.70	63.50	62.00	67.10
11		42.50	41.60	46.80	59.00	63.80	63.00	68.10	67.00	72.50	71.10	76.80	75.10	81.20
12		50.50	49.50	55.70	70.20	75.90	75.00	81.10	79.80	86.30	84.60	91.50	89.40	96.60
13		59.30	58.10	65.40	82.40	89.10	88.00	95.20	93.70	101.00	99.30	107.00	104.00	113.00
14		68.80	67.40	75.90	95.60	103.00	102.00	110.00	108.00	117.00	115.00	124.00	121.00	131.00
16		89.90	88.10	99.10	124.00	135.00	133.00	144.00	141.00	153.00	150.00	162.00	158.00	171.00
18		114.00	111.00	125.00	158.00	170.00	168.00	182.00	179.00	194.00	190.00	205.00	201.00	217.00
20		140.00	138.00	155.00	195.00	211.00	208.00	225.00	221.00	239.00	235.00	254.00	248.00	268.00
22		170.00	166.00	187.00	236.00	255.00	252.00	272.00	268.00	290.00	284.00	307.00	300.00	324.00
24		202.00	198.00	223.00	281.00	303.00	300.00	324.00	319.00	345.00	338.00	366.00	357.00	386.00
26		237.00	233.00	262.00	329.00	356.00	352.00	381.00	371.00	405.00	397.00	429.00	419.00	453.00
28		275.00	270.00	303.00	382.00	413.00	408.00	441.00	434.00	470.00	460.00	498.00	486.00	526.00
30	316.00	310.00	348.00	439.00	474.00	469.00	507.00	498.00	539.00	528.00	571.00	558.00	604.00	
32	359.00	352.00	396.00	499.00	540.00	533.00	577.00	567.00	613.00	601.00	650.00	635.00	687.00	
34	406.00	398.00	447.00	564.00	610.00	602.00	651.00	640.00	693.00	679.00	734.00	717.00	776.00	
36	455.00	446.00	502.00	632.00	683.00	675.00	730.00	718.00	776.00	761.00	823.00	804.00	870.00	
38	507.00	497.00	559.00	704.00	761.00	752.00	813.00	800.00	865.00	848.00	917.00	896.00	969.00	


主要用途: 各种缆车, 钢丝绳皮带运输机, 索道牵引和斜井卷扬等

Main Applications: Various cable carriage, rope and belt conveyer, ropeway drawing, slope winch, etc.


6 × 19S、6 × 19W线接触钢丝绳(光面和镀锌)




6 × 19S+FC



6 × 19S+IWR



6 × 19W+FC




6 × 19W+IWR

钢丝绳结构(Construction): 6 × 19S+FC 6 × 19S+IWR 6 × 19W+FC 6 × 19W+IWR

Nominal Diameter 钢丝绳公称直径		Approx. Weight 钢丝绳近似重量			Nominal Tensile Strength of Rope 钢丝绳公称抗拉强度(MPa)																
					1470		1570		1670		1770		1870								
d		Allowed Tolerance 允许偏差		NF 天然纤维 芯钢丝绳		SF 合成纤维 芯钢丝绳		IWR/IWS 钢芯 钢丝绳		FC 纤维芯 钢丝绳		IWR/IWS 钢芯 钢丝绳		FC 纤维芯 钢丝绳		IWR/IWS 钢芯 钢丝绳		FC 纤维芯 钢丝绳		IWR/IWS 钢芯 钢丝绳	
mm		%		kg/100m			kN														
5		9.20	9.00	10.10	12.10	13.10	13.00	14.00	13.80	14.90	14.60	15.80	15.40	16.60							
6		13.30	13.00	14.60	17.50	18.80	18.70	20.10	19.80	21.40	21.40	22.70	22.20	24.00							
7		18.20	17.60	19.90	23.80	25.60	25.40	27.40	27.00	29.10	28.60	30.90	30.20	32.60							
8		23.60	23.00	25.90	31.00	33.50	33.20	35.80	35.30	38.00	37.40	40.30	39.50	42.60							
9		29.90	29.10	32.80	39.30	42.40	42.00	45.30	44.60	48.20	47.30	51.00	50.00	53.90							
10		36.90	36.00	40.50	48.50	52.30	51.80	55.90	55.10	59.50	58.40	63.00	61.70	66.60							
11		44.60	43.50	49.10	58.70	63.30	62.70	67.60	66.70	71.90	70.70	76.20	74.70	80.60							
12		53.10	51.80	58.40	69.90	75.40	74.60	80.50	79.40	85.60	84.10	90.70	88.90	95.90							
13		62.30	60.80	68.50	82.00	88.40	87.60	94.50	93.10	100.00	98.70	106.00	104.00	113.00							
14		72.20	70.50	79.50	95.10	103.00	102.00	110.00	108.00	117.00	114.00	124.00	121.00	130.00							
16		94.40	92.10	104.00	124.00	134.00	133.00	143.00	141.00	152.00	150.00	161.00	158.00	170.00							
18		119.00	117.00	131.00	157.00	170.00	168.00	181.00	179.00	193.00	189.00	204.00	200.00	216.00							
20		147.00	144.00	162.00	194.00	209.00	207.00	224.00	220.00	238.00	234.00	252.00	247.00	266.00							
22		178.00	174.00	196.00	235.00	253.00	251.00	271.00	267.00	288.00	283.00	305.00	299.00	322.00							
24		212.00	207.00	234.00	279.00	301.00	298.00	322.00	317.00	342.00	336.00	363.00	355.00	383.00							
26		249.00	243.00	274.00	328.00	354.00	350.00	378.00	373.00	402.00	395.00	426.00	417.00	450.00							
28		289.00	282.00	318.00	380.00	410.00	406.00	438.00	432.00	466.00	458.00	494.00	484.00	522.00							
30		332.00	324.00	365.00	437.00	471.00	466.00	503.00	496.00	535.00	526.00	567.00	555.00	599.00							
32		377.00	369.00	415.00	497.00	536.00	531.00	572.00	564.00	609.00	598.00	645.00	632.00	682.00							
34		426.00	416.00	469.00	561.00	605.00	599.00	646.00	637.00	687.00	675.00	728.00	713.00	770.00							
36		478.00	466.00	525.00	629.00	678.00	671.00	724.00	714.00	770.00	757.00	817.00	800.00	863.00							
38		532.00	520.00	585.00	700.00	756.00	748.00	807.00	796.00	858.00	843.00	910.00	891.00	961.00							
40		590.00	576.00	649.00	776.00	837.00	829.00	894.00	882.00	951.00	935.00	1010.00	987.00	1070.00							
42		650.00	635.00	715.00	856.00	923.00	914.00	986.00	972.00	1050.00	1030.00	1110.00	1090.00	1170.00							
44		714.00	699.00	785.00	939.00	1010.00	1000.00	1080.00	1070.00	1150.00	1130.00	1220.00	1190.00	1290.00							
46		780.00	761.00	858.00	1030.00	1110.00	1100.00	1180.00	1170.00	1260.00	1240.00	1330.00	1310.00	1410.00							
48		849.00	829.00	934.00	1120.00	1210.00	1190.00	1290.00	1270.00	1370.00	1350.00	1450.00	1420.00	1530.00							
50		922.00	900.00	1010.00	1210.00	1310.00	1300.00	1400.00	1380.00	1490.00	1460.00	1580.00	1540.00	1660.00							
52		997.00	973.00	1100.00	1310.00	1420.00	1400.00	1510.00	1490.00	1610.00	1580.00	1700.00	1670.00	1800.00							
54		1070.00	1050.00	1180.00	1410.00	1530.00	1510.00	1630.00	1610.00	1730.00	1700.00	1840.00	1800.00	1940.00							
56		1160.00	1130.00	1270.00	1520.00	1640.00	1620.00	1750.00	1730.00	1860.00	1830.00	1980.00	1940.00	2090.00							
58		1240.00	1210.00	1360.00	1630.00	1760.00	1740.00	1880.00	1850.00	2000.00	1960.00	2120.00	2080.00	2240.00							
60		1330.00	1300.00	1460.00	1750.00	1880.00	1870.00	2010.00	1980.00	2140.00	2100.00	2270.00	2220.00	2400.00							
62		1420.00	1380.00	1560.00	1860.00	2010.00	1990.00	2150.00	2120.00	2290.00	2250.00	2420.00	2370.00	2560.00							
64		1510.00	1470.00	1660.00	1990.00	2140.00	2120.00	2290.00	2260.00	2440.00	2390.00	2580.00	2530.00	2730.00							
66		1610.00	1570.00	1770.00	2110.00	2280.00	2260.00	2430.00	2400.00	2590.00	2540.00	2740.00	2690.00	2900.00							
68		1700.00	1660.00	1870.00	2240.00	2420.00	2400.00	2580.00	2550.00	2750.00	2700.00	2910.00	2850.00	3080.00							
70		1810.00	1760.00	1990.00	2380.00	2560.00	2540.00	2740.00	2700.00	2910.00	2860.00	3090.00	3020.00	3260.00							
72		1910.00	1870.00	2100.00	2510.00	2710.00	2690.00	2900.00	2860.00	3080.00	3030.00	3270.00	3200.00	3450.00							
74		2020.00	1970.00	2220.00	2660.00	2870.00	2840.00	3060.00	3020.00	3260.00	3200.00	3450.00	3380.00	3650.00							
76		2130.00	2080.00	2340.00	2800.00	3020.00	2990.00	3230.00	3180.00	3430.00	3370.00	3640.00	3560.00	3850.00							
78		2240.00	2190.00	2470.00	2950.00	3180.00	3150.00	3400.00	3350.00	3620.00	3550.00	3830.00	3750.00	4050.00							
80		2360.00	2300.00	2590.00	3100.00	3350.00	3320.00	3580.00	3530.00	3800.00	3740.00	4030.00	3950.00	4260.00							

主要用途: 各种起重、提升和牵引设备、港口装卸、高炉卷场、石油钻井、金属芯绳适用于冲击负荷, 受热挤压条件下。
Main Applications: Various equipment for hoisting, derricking, lifting, towing, port load and unload, blast furnace hoisting and oil well drilling. The rope with wire core can be used under the shock load, heated, heated and squeezed conditions.

6×25Fi、6×29Fi、6×26SW、6×31SW、6×36SW、6×37S线接触钢丝绳(光面和镀锌)




钢丝绳结构(Construction): 6×25Fi+FC 6×25Fi+IWR 6×26SW+FC 6×26SW+IWR 6×29Fi+FC 6×29Fi+IWR 6×31SW+FC 6×31SW+IWR 6×36SW+FC 6×36SW+IWR 6×37S+FC 6×41SW+FC 6×37S+IWR 6×41SW+IWR 6×49SWS+FC 6×49SWS+IWR

Nominal Diameter 钢丝绳公称直径		Approx. Weight 钢丝绳近似重量			Nominal Tensile Strength of Rope 钢丝绳公称抗拉强度(MPa)										
					1470		1570		1670		1770		1870		
		Minimum Breaking Load of Rope 钢丝绳最小破断拉力													
d	Allowed Tolerance 允许偏差	NF 天然纤维 芯钢丝绳	SF 合成纤维 芯钢丝绳	IWR/IWS 钢芯 钢丝绳	FC 纤维芯 钢丝绳	IWR/IWS 钢芯 钢丝绳	FC 纤维芯 钢丝绳	IWR/IWS 钢芯 钢丝绳	FC 纤维芯 钢丝绳	IWR/IWS 钢芯 钢丝绳	FC 纤维芯 钢丝绳	IWR/IWS 钢芯 钢丝绳	FC 纤维芯 钢丝绳	IWR/IWS 钢芯 钢丝绳	
mm	%	kg/100m			kN										
8		24.30	23.70	26.80	31.00	33.50	33.20	35.80	35.30	38.00	37.40	40.30	39.50	42.60	
9		30.80	30.10	33.90	39.30	42.40	42.00	45.30	44.60	48.20	47.30	51.00	50.00	53.90	
10		38.80	37.10	41.80	48.50	52.30	51.80	55.90	55.10	59.50	58.40	63.00	61.70	66.60	
11		46.00	44.90	50.60	58.70	63.30	62.70	67.60	66.70	71.90	70.70	76.20	74.70	80.60	
12		54.70	53.40	60.20	69.90	75.40	74.60	80.50	79.40	85.60	84.10	90.70	88.90	95.90	
13		64.20	62.70	70.60	82.00	88.40	87.60	94.50	93.10	100.00	98.70	106.00	104.00	113.00	
14		74.50	72.70	81.90	95.10	103.00	102.00	110.00	108.00	117.00	114.00	124.00	121.00	130.00	
16		93.70	95.00	107.00	124.00	134.00	133.00	143.00	141.00	152.00	150.00	161.00	158.00	170.00	
18		123.00	120.00	135.00	157.00	170.00	168.00	181.00	179.00	193.00	189.00	204.00	200.00	216.00	
20		152.00	148.00	167.00	194.00	209.00	207.00	224.00	220.00	238.00	234.00	252.00	247.00	266.00	
22		184.00	180.00	202.00	235.00	253.00	251.00	271.00	267.00	288.00	283.00	305.00	299.00	322.00	
24		219.00	214.00	241.00	279.00	301.00	298.00	322.00	317.00	342.00	336.00	363.00	355.00	383.00	
26		257.00	251.00	283.00	328.00	354.00	350.00	378.00	373.00	402.00	395.00	426.00	417.00	450.00	
28		298.00	291.00	328.00	380.00	410.00	406.00	438.00	432.00	466.00	458.00	494.00	484.00	522.00	
30		342.00	334.00	376.00	437.00	471.00	466.00	503.00	496.00	535.00	526.00	567.00	555.00	599.00	
32		389.00	380.00	428.00	497.00	536.00	531.00	572.00	564.00	609.00	598.00	645.00	632.00	682.00	
34		439.00	429.00	483.00	561.00	605.00	599.00	646.00	637.00	687.00	675.00	728.00	713.00	770.00	
36		492.00	481.00	542.00	629.00	678.00	671.00	724.00	714.00	770.00	757.00	817.00	800.00	863.00	
38		549.00	536.00	604.00	700.00	756.00	748.00	807.00	796.00	858.00	843.00	910.00	891.00	961.00	
40	+6	608.00	594.00	669.00	776.00	837.00	829.00	894.00	882.00	951.00	935.00	1010.00	987.00	1070.00	
42	0	670.00	654.00	737.00	856.00	923.00	914.00	986.00	972.00	1050.00	1030.00	1110.00	1090.00	1170.00	
44		736.00	718.00	809.00	939.00	1010.00	1000.00	1080.00	1070.00	1150.00	1130.00	1220.00	1190.00	1290.00	
46		804.00	785.00	884.00	1030.00	1110.00	1100.00	1180.00	1170.00	1260.00	1240.00	1330.00	1310.00	1410.00	
48		876.00	855.00	963.00	1120.00	1210.00	1190.00	1290.00	1270.00	1370.00	1350.00	1450.00	1420.00	1530.00	
50		950.00	928.00	1050.00	1210.00	1310.00	1300.00	1400.00	1380.00	1490.00	1460.00	1580.00	1540.00	1660.00	
52		1030.00	1000.00	1130.00	1310.00	1420.00	1400.00	1510.00	1490.00	1610.00	1580.00	1700.00	1670.00	1800.00	
54		1110.00	1080.00	1220.00	1410.00	1530.00	1510.00	1630.00	1610.00	1730.00	1700.00	1840.00	1800.00	1940.00	
56		1190.00	1160.00	1310.00	1520.00	1640.00	1620.00	1750.00	1730.00	1860.00	1830.00	1980.00	1940.00	2090.00	
58		1280.00	1250.00	1410.00	1630.00	1760.00	1740.00	1880.00	1850.00	2000.00	1960.00	2120.00	2080.00	2240.00	
60		1370.00	1340.00	1500.00	1750.00	1880.00	1870.00	2010.00	1980.00	2140.00	2100.00	2270.00	2220.00	2400.00	
62		1460.00	1430.00	1610.00	1860.00	2010.00	1990.00	2150.00	2120.00	2290.00	2250.00	2420.00	2370.00	2560.00	
64		1560.00	1520.00	1710.00	1990.00	2140.00	2120.00	2290.00	2260.00	2440.00	2390.00	2580.00	2530.00	2730.00	
66		1660.00	1620.00	1820.00	2110.00	2280.00	2260.00	2430.00	2400.00	2590.00	2540.00	2740.00	2690.00	2900.00	
68		1760.00	1720.00	1930.00	2240.00	2420.00	2400.00	2580.00	2550.00	2750.00	2700.00	2910.00	2850.00	3080.00	
70		1860.00	1820.00	2050.00	2380.00	2560.00	2540.00	2740.00	2700.00	2910.00	2860.00	3090.00	3020.00	3260.00	
72		1970.00	1920.00	2170.00	2510.00	2710.00	2690.00	2900.00	2860.00	3080.00	3030.00	3270.00	3200.00	3450.00	
74		2080.00	2030.00	2290.00	2660.00	2870.00	2840.00	3060.00	3020.00	3260.00	3200.00	3450.00	3380.00	3650.00	
76		2190.00	2140.00	2410.00	2800.00	3020.00	2990.00	3230.00	3180.00	3430.00	3370.00	3640.00	3560.00	3850.00	
78		2310.00	2260.00	2540.00	2950.00	3180.00	3150.00	3400.00	3350.00	3620.00	3550.00	3830.00	3750.00	4050.00	
80		2430.00	2370.00	2680.00	3100.00	3350.00	3320.00	3580.00	3530.00	3800.00	3740.00	4030.00	3950.00	4260.00	

主要用途: 各种起重、提升和牵引设备;金属绳芯适用于负荷、受热和受挤条件下,例如:电铲

Main Applications: Various equipment for derricking, lifting and drawing; the rope with wire core can be used under the shock load, heated and squeezed conditions such as electric shovels.

6×24圆股钢丝绳(光面和镀锌)




6×24+7FC

钢丝绳结构(Construction):6×24+7FC


Nominal Diameter 钢丝绳公称直径		Approox.Weight 钢丝绳近似重量		Nominal Tensile Strength of Rope 钢丝绳公称抗拉强度(MPa)				
				1470	1570	1670	1770	1870
d	Allowed Tolerance 允许偏差	NF 天然纤维 芯钢丝绳	SF 合成纤维 芯钢丝绳	Minimum Breaking Load of Rope 钢丝绳最小破断拉力				
mm	%	kg/100m		kN				
8	+7 0	20.40	19.50	26.30	28.10	29.90	31.70	33.50
9		25.80	24.60	33.30	35.16	37.90	40.10	42.40
10		31.80	30.04	41.20	44.00	46.80	49.60	52.50
11		38.50	36.80	49.80	53.20	56.60	60.00	63.40
12		45.80	43.80	59.30	63.30	67.30	71.40	75.40
13		53.70	51.40	69.60	74.30	79.00	83.80	88.50
14		62.30	59.60	80.70	86.20	91.00	97.10	103.00
16		81.40	77.80	105.00	113.00	120.00	127.00	134.00
18		103.00	98.50	133.00	142.00	152.00	161.00	170.00
20		127.00	122.00	165.00	176.00	187.00	198.00	209.00
22		154.00	147.00	199.00	213.00	226.00	240.00	253.00
24		183.00	175.00	237.00	253.00	269.00	285.00	302.00
26		215.00	206.00	278.00	297.00	316.00	335.00	354.00
28		249.00	238.00	323.00	345.00	367.00	389.00	411.00
30		286.00	274.00	370.00	396.00	421.00	446.00	471.00
32		326.00	311.00	421.00	450.00	479.00	507.00	536.00
34		368.00	351.00	476.00	508.00	541.00	573.00	605.00
36		412.00	394.00	533.00	570.00	606.00	642.00	679.00
38		459.00	439.00	594.00	635.00	675.00	716.00	756.00
40		509.00	486.00	659.00	703.00	748.00	793.00	838.00
42		561.00	536.00	726.00	775.00	825.00	874.00	924.00
44		616.00	589.00	797.00	851.00	905.00	959.00	1010.00
46		673.00	643.00	871.00	930.00	989.00	1050.00	1110.00
48		733.00	700.00	948.00	1010.00	1080.00	1140.00	1210.00
50		795.00	760.00	1030.00	1100.00	1170.00	1240.00	1310.00
52		860.00	822.00	1110.00	1190.00	1260.00	1340.00	1420.00
54		927.00	886.00	1200.00	1280.00	1360.00	1450.00	1530.00
56		997.00	953.00	1290.00	1380.00	1470.00	1550.00	1640.00
58	1070.00	1020.00	1380.00	1480.00	1570.00	1670.00	1760.00	
60	1140.00	1090.00	1480.00	1580.00	1680.00	1780.00	1880.00	
62	1220.00	1170.00	1580.00	1690.00	1800.00	1910.00	2010.00	
64	1300.00	1250.00	1690.00	1800.00	1920.00	2030.00	2140.00	
66	1390.00	1320.00	1790.00	1910.00	2040.00	2160.00	2280.00	
68	1470.00	1410.00	1900.00	2030.00	2160.00	2290.00	2420.00	
70	1560.00	1490.00	2020.00	2150.00	2290.00	2430.00	2570.00	
72	1650.00	1580.00	2130.00	2280.00	2420.00	2570.00	2710.00	
74	1740.00	1660.00	2250.00	2410.00	2560.00	2710.00	2870.00	
76	1840.00	1760.00	2380.00	2540.00	2700.00	2860.00	3020.00	
78	1930.00	1850.00	2500.00	2670.00	2840.00	3020.00	3190.00	
80	2040.00	1950.00	2630.00	2810.00	2990.00	3170.00	3350.00	

主要用途：拖船、货网、浮运木材、捆绑等。
Main Applications: Towboat goots net, floating troating transportation of wood, bunding etc.

6×24S+7FC、6×24W+7FC线接触钢丝绳(光面和镀锌)



6×24S+7FC



6×24W+7FC

钢丝绳结构(Construction):6×24S+7FC 6×24W+7FC

Nominal Diameter 钢丝绳公称直径		Approx. Weight 钢丝绳近似重量		Nominal Tensile Strength of Rope 钢丝绳公称抗拉强度(MPa)				
				1470	1570	1670	1770	1870
d	Allowed Tolerance 允许偏差	NF 天然纤维 芯钢丝绳	SF 合成纤维 芯钢丝绳	Minimum Breaking Load of Rope 钢丝绳最小破断拉力				
mm	%	kg/100m		kN				
10	+7 0	33.10	31.60	42.80	45.70	48.60	51.50	54.50
11		40.00	38.30	51.80	55.30	58.80	62.40	65.90
12		47.60	45.50	61.60	65.80	70.00	74.20	78.40
13		55.90	53.40	72.30	77.30	82.20	87.10	92.00
14		64.80	62.00	83.90	89.60	95.30	101.00	107.00
16		84.70	80.90	110.00	117.00	124.00	132.00	139.00
18		107.00	102.00	139.00	148.00	158.00	167.00	176.00
20		132.00	126.00	171.00	183.00	195.00	206.00	218.00
22		160.00	153.00	207.00	221.00	235.00	249.00	264.00
24		190.00	182.00	247.00	263.00	280.00	297.00	314.00
26		224.00	214.00	289.00	309.00	329.00	348.00	368.00
28		259.00	248.00	336.00	358.00	381.00	404.00	427.00
30		298.00	285.00	385.00	411.00	438.00	464.00	490.00
32		339.00	324.00	438.00	468.00	498.00	528.00	558.00
34		382.00	365.00	495.00	529.00	562.00	596.00	629.00
36		429.00	410.00	555.00	593.00	630.00	668.00	706.00
38		478.00	457.00	618.00	660.00	702.00	744.00	786.00
40		529.00	506.00	685.00	731.00	778.00	825.00	871.00
42		583.00	558.00	755.00	806.00	858.00	909.00	961.00
44		640.00	612.00	829.00	885.00	941.00	998.00	1050.00
46		700.00	669.00	906.00	967.00	1030.00	1090.00	1150.00
48		762.00	728.00	986.00	1050.00	1120.00	1190.00	1250.00
50		827.00	790.00	1070.00	1140.00	1220.00	1290.00	1360.00
52		894.00	855.00	1160.00	1240.00	1310.00	1390.00	1470.00
54		964.00	922.00	1250.00	1330.00	1420.00	1500.00	1590.00
56		1040.00	991.00	1340.00	1430.00	1530.00	1620.00	1710.00
58		1110.00	1060.00	1440.00	1540.00	1640.00	1730.00	1830.00
60		1190.00	1140.00	1540.00	1650.00	1750.00	1860.00	1960.00
62		1270.00	1220.00	1650.00	1760.00	1870.00	1980.00	2090.00
64		1350.00	1290.00	1750.00	1870.00	1990.00	2110.00	2230.00
66		1440.00	1380.00	1860.00	1990.00	2120.00	2250.00	2370.00
68		1530.00	1460.00	1980.00	2110.00	2250.00	2380.00	2520.00
70	1620.00	1550.00	2100.00	2240.00	2380.00	2530.00	2670.00	
72	1710.00	1640.00	2220.00	2370.00	2520.00	2670.00	2820.00	
74	1810.00	1730.00	2340.00	2500.00	2660.00	2820.00	2980.00	
76	1910.00	1830.00	2470.00	2640.00	2810.00	2980.00	3150.00	
78	2010.00	1920.00	2600.00	2780.00	2960.00	3140.00	3310.00	
80	2120.00	2020.00	2740.00	2930.00	3110.00	3300.00	3490.00	

主要用途: 拖船、货网、浮运木材、捆绑等。
Main Applications: Towboat goods net, floating troating transportation of wood, bunding etc.